## 309.438 Registration as radon measurement contractor -- Renewal of registration certificate -- Duties of measurement contractor.

- (1) The board shall issue a radon measurement contractor registration certificate to any person certified for measurement who:
  - (a) Completes a registration process prescribed by the board through promulgation of an administrative regulation;
  - (b) Presents proof of compliance with a board-approved proficiency program; and
  - (c) Furnishes evidence of a general liability insurance policy that satisfies the requirements of KRS 309.442.
- (2) The board shall renew the radon measurement contractor registration certificate of any person who:
  - (a) Completes a registration renewal process and pays a fee prescribed by the board through promulgation of an administrative regulation;
  - (b) Presents proof of compliance with a board-approved proficiency program; and
  - (c) Furnishes evidence of a general liability insurance policy that satisfies the requirements of KRS 309.442;
- (3) A measurement contractor shall:
  - (a) Maintain certification with a board-approved proficiency program;
  - (b) Ensure all measurements are conducted in accordance with the applicable standard operating procedures;
  - (c) Maintain a quality control program plan in accordance with the standard operating procedures for measurement quality assurance and control;
  - (d) Ensure all measurements are conducted under the general supervision of a measurement contractor;
  - (e) Use or sell only measurement devices approved by the proficiency program that certifies the person; and
  - (f) Ensure all laboratory analysis is procured through a radon laboratory.

Effective: July 14, 2022

**History:** Repealed, reenacted, and amended 2022 Ky. Acts ch. 73, sec. 5, effective July 14, 2022. -- Amended 2019 Ky. Acts ch. 159, sec. 4, effective June 27, 2019. -- Amended 2013 Ky. Acts ch. 68, sec. 2, effective June 25, 2013. -- Created 2011 Ky. Acts ch. 74, sec. 5, effective June 8, 2011.

Formerly codified as KRS 211.9109.