

Act is enacted, and at such times thereafter as the Comptroller General of the United States determines to be appropriate, the Comptroller General of the United States shall, with respect to the fiscal years that have passed since the preceding report—

(1) conduct an audit of the implementation of this part, section 6834(a)(3)(D) of this title, and section 17091 of this title; and

(2) submit to the Federal Director, the Advisory Committee, the Administrator, and Congress a report describing the results of the audit.

(b) Contents

An audit under subsection (a) shall include a review, with respect to the period covered by the report under subsection (a)(2), of—

(1) budget, life-cycle costing, and contracting issues, using best practices identified by the Comptroller General of the United States and heads of other agencies in accordance with section 17092(d) of this title;

(2) the level of coordination among the Federal Director, the Office of Management and Budget, the Department of Energy, and relevant agencies;

(3) the performance of the Federal Director and other agencies in carrying out the implementation plan;

(4) the design stage of high-performance green building measures;

(5) high-performance building data that were collected and reported to the Office; and

(6) such other matters as the Comptroller General of the United States determines to be appropriate.

(c) Environmental Stewardship Scorecard

The Federal Director shall consult with the Advisory Committee to enhance, and assist in the implementation of, the Office of Management and Budget government efficiency reports and scorecards under section 17144 of this title and the Environmental Stewardship Scorecard announced at the White House summit on Federal sustainable buildings in January 2006, to measure the implementation by each Federal agency of sustainable design and green building initiatives.

(Pub. L. 110-140, title IV, § 437, Dec. 19, 2007, 121 Stat. 1619.)

REFERENCES IN TEXT

This Act, referred to in subsec. (a), is Pub. L. 110-140, which was approved Dec. 19, 2007.

This part, referred to in subsec. (a)(1), was in the original “this subtitle”, meaning subtitle C (§§ 431-441) of title IV of Pub. L. 110-140, Dec. 19, 2007, 121 Stat. 1607, which enacted this part, amended sections 6832, 6834, 8253, and 8254 of this title, and enacted provisions set out as a note under section 6834 of this title. For complete classification of subtitle C to the Code, see Tables.

§ 17094. Storm water runoff requirements for Federal development projects

The sponsor of any development or redevelopment project involving a Federal facility with a footprint that exceeds 5,000 square feet shall use site planning, design, construction, and maintenance strategies for the property to maintain or

restore, to the maximum extent technically feasible, the predevelopment hydrology of the property with regard to the temperature, rate, volume, and duration of flow.

(Pub. L. 110-140, title IV, § 438, Dec. 19, 2007, 121 Stat. 1620.)

§ 17095. Cost-effective technology acceleration program

(a) Definition of Administrator

In this section, the term “Administrator” means the Administrator of General Services.

(b) Establishment

(1) In general

The Administrator shall establish a program to accelerate the use of more cost-effective technologies and practices at GSA facilities.

(2) Requirements

The program established under this subsection shall—

(A) ensure centralized responsibility for the coordination of cost reduction-related recommendations, practices, and activities of all relevant Federal agencies;

(B) provide technical assistance and operational guidance to applicable tenants to achieve the goal identified in subsection (c)(2)(B)(ii);

(C) establish methods to track the success of Federal departments and agencies with respect to that goal; and

(D) be fully coordinated with and no less stringent nor less energy-conserving or water-conserving than required by other provisions of this Act and other applicable law, including sections 321 through 324, 431 through 438, 461, 511 through 518, and 523 through 525 and amendments made by those sections.

(c) Accelerated use of technologies

(1) Review

(A) In general

As part of the program under this section, not later than 90 days after December 19, 2007, the Administrator shall conduct a review of—

(i) current use of cost-effective lighting technologies and geothermal heat pumps in GSA facilities; and

(ii) the availability to managers of GSA facilities of cost-effective lighting technologies and geothermal heat pumps.

(B) Requirements

The review under subparagraph (A) shall—

(i) examine the use of cost-effective lighting technologies, geothermal heat pumps, and other cost-effective technologies and practices by Federal agencies in GSA facilities; and

(ii) as prepared in consultation with the Administrator of the Environmental Protection Agency, identify cost-effective lighting technology and geothermal heat pump technology standards that could be used for all types of GSA facilities.