

(b) Authorization

For the purpose of carrying out the provisions of paragraph (6) of subsection (a), there are authorized to be appropriated such sums, not to exceed \$500,000, as may be necessary. For the purpose of carrying out the provisions of this section other than such paragraph (6), there are authorized to be appropriated such sums, not to exceed \$1,000,000, as may be necessary.

(Pub. L. 94-469, title III, §307, as added Pub. L. 100-551, §1(a), Oct. 28, 1988, 102 Stat. 2761.)

§ 2668. Regional radon training centers**(a) Funding program**

Upon application of colleges, universities, institutions of higher learning, or consortia of such institutions, the Administrator may make a grant or cooperative agreement, subject to such terms and conditions as the Administrator considers appropriate, under this section to the applicant for the purpose of establishing and operating a regional radon training center.

(b) Purpose of centers

The purpose of a regional radon training center is to develop information and provide training to Federal and State officials, professional and private firms, and the public regarding the health risks posed by radon and demonstrated methods of radon measurement and mitigation.

(c) Applications

Any colleges, universities, institutions of higher learning or consortia of such institutions may submit an application for funding under this section. Such applications shall be submitted to the Administrator in such form and containing such information as the Administrator may require.

(d) Selection criteria

The Administrator shall support at least 3 eligible applications with the full amount of available funds. The Administrator shall select recipients of funding under this section to ensure that funds are equitably allocated among regions of the United States, and on the basis of each of the following criteria:

(1) The extent to which the applicant's program will promote the purpose described in subsection (b).

(2) The demonstrated expertise of the applicant regarding radon measurement and mitigation methods and other radon-related issues.

(3) The demonstrated expertise of the applicant in radon training and in activities relating to information development and dissemination.

(4) The seriousness of the radon problem in the region.

(5) The geographical coverage of the proposed center.

(6) Any other uniform criteria that the Administrator deems necessary to promote the purpose described in subsection (b) and that the Administrator provides to potential applicants prior to the application process.

(e) Termination of funding

No funding may be given under this section in any fiscal year to an applicant which in the pre-

ceding fiscal year received funding under this section unless the Administrator determines that the recipient satisfactorily implemented the activities that were funded in the preceding year.

(f) Authorization

There is authorized to be appropriated to carry out the program under this section not to exceed \$1,000,000 for each of fiscal years 1989, 1990, and 1991.

(Pub. L. 94-469, title III, §308, as added Pub. L. 100-551, §1(a), Oct. 28, 1988, 102 Stat. 2762.)

§ 2669. Study of radon in Federal buildings**(a) Study requirement**

The head of each Federal department or agency that owns a Federal building shall conduct a study for the purpose of determining the extent of radon contamination in such buildings. Such study shall include, in the case of a Federal building using a nonpublic water source (such as a well or other groundwater), radon contamination of the water.

(b) High-risk Federal buildings

(1) The Administrator shall identify and compile a list of areas within the United States which the Administrator, in consultation with Federal departments and agencies, determines have a high probability of including Federal buildings which have elevated levels of radon.

(2) In compiling such list, the Administrator shall make such determinations on the basis of, among other things, the following:

(A) Geological data.

(B) Data on high radon levels in homes and other structures near any such Federal building.

(C) Physical characteristics of the Federal buildings.

(c) Study designs

Studies required under subsection (a) shall be based on design criteria specified by the Administrator. The head of each Federal department or agency conducting such a study shall submit, not later than July 1, 1989, a study design to the Administrator for approval. The study design shall follow the most recent Environmental Protection Agency guidance documents, including "A Citizen's Guide to Radon"; the "Interim Protocol for Screening and Follow Up: Radon and Radon Decay Products Measurements"; the "Interim Indoor Radon & Radon Decay Product Measurement Protocol"; and any other recent guidance documents. The study design shall include testing data from a representative sample of Federal buildings in each high-risk area identified in subsection (b). The study design also shall include additional testing data to the extent resources are available, including any reliable data supplied by Federal agencies, States, or other parties.

(d) Information on risks and testing

(1) The Administrator shall provide to the departments or agencies conducting studies under subsection (a) the following:

(A) Guidance and data detailing the risks associated with high radon levels.

(B) Technical guidance and related information concerning testing for radon within Federal buildings and water supplies.

(C) Technical guidance and related information concerning methods for reducing radon levels.

(2) In addition to the assistance required by paragraph (1), the Administrator is authorized to make available, on a cost reimbursable basis, to the departments or agencies conducting studies under subsection (a) devices suitable for use by such departments or agencies in conducting tests for radon within Federal buildings. For the purpose of assisting such departments or agencies in evaluating any such devices for the presence of radon levels, the Administrator is authorized to recommend laboratories or to make available to such departments or agencies, on a cost reimbursable basis, the use of laboratories of the Environmental Protection Agency.

(e) Study deadline

Not later than June 1, 1990, the head of each Federal department or agency conducting a study under subsection (a) shall complete the study and provide the study to the Administrator.

(f) Report to Congress

Not later than October 1, 1990, the Administrator shall submit a report to the Congress describing the results of the studies conducted pursuant to subsection (a).

(Pub. L. 94-469, title III, §309, as added Pub. L. 100-551, §1(a), Oct. 28, 1988, 102 Stat. 2763.)

§ 2670. Regulations

The Administrator is authorized to issue such regulations as may be necessary to carry out the provisions of this subchapter.

(Pub. L. 94-469, title III, §310, as added Pub. L. 100-551, §1(a), Oct. 28, 1988, 102 Stat. 2764.)

§ 2671. Additional authorizations

Amounts authorized to be appropriated in this subchapter for purposes of carrying out the provisions of this subchapter are in addition to amounts authorized to be appropriated under other provisions of law for radon-related activities.

(Pub. L. 94-469, title III, §311, as added Pub. L. 100-551, §1(a), Oct. 28, 1988, 102 Stat. 2764.)

SUBCHAPTER IV—LEAD EXPOSURE
REDUCTION

§ 2681. Definitions

For the purposes of this subchapter:

(1) Abatement

The term “abatement” means any set of measures designed to permanently eliminate lead-based paint hazards in accordance with standards established by the Administrator under this subchapter. Such term includes—

(A) the removal of lead-based paint and lead-contaminated dust, the permanent containment or encapsulation of lead-based paint, the replacement of lead-painted sur-

faces or fixtures, and the removal or covering of lead-contaminated soil; and

(B) all preparation, cleanup, disposal, and postabatement clearance testing activities associated with such measures.

(2) Accessible surface

The term “accessible surface” means an interior or exterior surface painted with lead-based paint that is accessible for a young child to mouth or chew.

(3) Deteriorated paint

The term “deteriorated paint” means any interior or exterior paint that is peeling, chipping, chalking or cracking or any paint located on an interior or exterior surface or fixture that is damaged or deteriorated.

(4) Evaluation

The term “evaluation” means risk assessment, inspection, or risk assessment and inspection.

(5) Friction surface

The term “friction surface” means an interior or exterior surface that is subject to abrasion or friction, including certain window, floor, and stair surfaces.

(6) Impact surface

The term “impact surface” means an interior or exterior surface that is subject to damage by repeated impacts, for example, certain parts of door frames.

(7) Inspection

The term “inspection” means (A) a surface-by-surface investigation to determine the presence of lead-based paint, as provided in section 4822(c) of title 42, and (B) the provision of a report explaining the results of the investigation.

(8) Interim controls

The term “interim controls” means a set of measures designed to reduce temporarily human exposure or likely exposure to lead-based paint hazards, including specialized cleaning, repairs, maintenance, painting, temporary containment, ongoing monitoring of lead-based paint hazards or potential hazards, and the establishment and operation of management and resident education programs.

(9) Lead-based paint

The term “lead-based paint” means paint or other surface coatings that contain lead in excess of 1.0 milligrams per centimeter squared or 0.5 percent by weight or (A) in the case of paint or other surface coatings on target housing, such lower level as may be established by the Secretary of Housing and Urban Development, as defined in section 4822(c) of title 42, or (B) in the case of any other paint or surface coatings, such other level as may be established by the Administrator.

(10) Lead-based paint hazard

The term “lead-based paint hazard” means any condition that causes exposure to lead from lead-contaminated dust, lead-contaminated soil, lead-contaminated paint that is deteriorated or present in accessible surfaces,