

sion, or board of the United States Government, and of State governments” are omitted as unnecessary because of 49:301(6) and (7) and 322(c). The words “but no official or employee of the United States shall receive any additional compensation for such service except as now permitted by law” are omitted as surplus because of 5:5533.

§ 20303. Moving defective and insecure vehicles needing repairs

(a) GENERAL.—A vehicle that is equipped in compliance with this chapter whose equipment becomes defective or insecure nevertheless may be moved when necessary to make repairs, without a penalty being imposed under section 21302 of this title, from the place at which the defect or insecurity was first discovered to the nearest available place at which the repairs can be made—

(1) on the railroad line on which the defect or insecurity was discovered; or

(2) at the option of a connecting railroad carrier, on the railroad line of the connecting carrier, if not farther than the place of repair described in clause (1) of this subsection.

(b) USE OF CHAINS INSTEAD OF DRAWBARS.—A vehicle in a revenue train or in association with commercially-used vehicles may be moved under this section with chains instead of drawbars only when the vehicle contains livestock or perishable freight.

(c) LIABILITY.—The movement of a vehicle under this section is at the risk only of the railroad carrier doing the moving. This section does not relieve a carrier from liability in a proceeding to recover damages for death or injury of a railroad employee arising from the movement of a vehicle with equipment that is defective, insecure, or not maintained in compliance with this chapter.

(Pub. L. 103–272, §1(e), July 5, 1994, 108 Stat. 882.)

HISTORICAL AND REVISION NOTES

Table with 3 columns: Revised Section, Source (U.S. Code), Source (Statutes at Large). Rows for 20303(a), (b), and (c).

In subsections (a) and (b), the word “moved” is substituted for “hauled” and “hauling” for consistency in this section.

In subsection (a), before clause (1), the words “A vehicle that is equipped in compliance with this chapter” are substituted for “where any car shall have been properly equipped, as provided in sections 1 to 16 of this title” to eliminate unnecessary words. The words “while such car was being used by such carrier upon its line of railroad” are omitted as surplus since this chapter only applies in the case of vehicles used by railroad carriers on their railroad lines. The word “nevertheless” is added for clarity. The words “when necessary to make repairs” are substituted for “if any such movement is necessary to make such repairs and such repairs cannot be made except at any such repair point” to eliminate unnecessary words. The words “without a penalty being imposed under section 21302 of this title”

are substituted for “without liability for the penalties imposed by this section or section 6 of this title” because of the restatement.

In subsection (b), the words “A vehicle . . . may be moved under this section . . . only when” are substituted for “and nothing in this proviso shall be construed to permit the hauling of defective cars . . . unless” for clarity and to eliminate unnecessary words.

In subsection (c), the word “hauling” is omitted for consistency in this section. The word “proceeding” is substituted for “remedial action” for consistency in the revised title and to ensure that administrative, as well as court proceedings, are included. The words “to recover damages” are added for clarity. The words “arising from” are substituted for “caused . . . by reason of or in connection with” to eliminate unnecessary words.

§ 20304. Assumption of risk by employees

An employee of a railroad carrier injured by a vehicle or train used in violation of section 20302(a)(1)(A), (2), (4), or (5)(A) of this title does not assume the risk of injury resulting from the violation, even if the employee continues to be employed by the carrier after learning of the violation.

(Pub. L. 103–272, §1(e), July 5, 1994, 108 Stat. 883.)

HISTORICAL AND REVISION NOTES

Table with 3 columns: Revised Section, Source (U.S. Code), Source (Statutes at Large). Row for 20304.

The words “after learning of the violation” are substituted for “after the unlawful use of such locomotive, car, or train had been brought to his knowledge” in 45:7 for clarity.

§ 20305. Inspection of mail cars

The Secretary of Transportation shall inspect the construction, adaptability, design, and condition of mail cars used on railroads in the United States. The Secretary shall make a report on the inspection and submit a copy of the report to the United States Postal Service.

(Pub. L. 103–272, §1(e), July 5, 1994, 108 Stat. 883.)

HISTORICAL AND REVISION NOTES

Table with 3 columns: Revised Section, Source (U.S. Code), Source (Statutes at Large). Row for 20305.

The words “United States Postal Service” are substituted for “Postmaster General” because of sections 4(a) and 5(e) of the Postal Reorganization Act (Public Law 91–375, 84 Stat. 773, 775).

§ 20306. Exemption for technological improvements

(a) GENERAL.—Subject to subsection (b) of this section, the Secretary of Transportation may exempt from the requirements of this chapter railroad equipment or equipment that will be operated on rails, when those requirements preclude the development or implementation of more efficient railroad transportation equipment or other transportation innovations under existing law.

(b) CONDITIONS FOR EXEMPTION.—The Secretary may grant an exemption under subsection (a) of this section only on the basis of—

- (1) findings based on evidence developed at a hearing; or
(2) an agreement between national railroad labor representatives and the developer of the new equipment or technology.

(Pub. L. 103–272, §1(e), July 5, 1994, 108 Stat. 883.)

HISTORICAL AND REVISION NOTES

Table with 3 columns: Revised Section, Source (U.S. Code), Source (Statutes at Large). Row 1: 20306, 45:1013, May 30, 1980, Pub. L. 96-254, §117, 94 Stat. 406.

In subsection (a), the words “Notwithstanding any other provision of law” and “the mandatory requirements of” are omitted as surplus. The words “existing law” are substituted for “the existing statutes” for consistency in the revised title.

In subsection (b), the words before clause (1) are added because of the restatement. Clause (1) is substituted for “after a hearing and consistent with findings based upon evidence developed therein” to eliminate unnecessary words. In clause (2), the words “an agreement” are substituted for “expressions of agreement” to eliminate unnecessary words.

CHAPTER 205—SIGNAL SYSTEMS

Table with 2 columns: Sec., Definition. Rows 20501-20505 with their respective definitions.

§ 20501. Definition

In this chapter, “signal system” means a block signal system, an interlocking, automatic train stop, train control, or cab-signal device, or a similar appliance, method, device, or system intended to promote safety in railroad operations.

(Pub. L. 103–272, §1(e), July 5, 1994, 108 Stat. 883.)

HISTORICAL AND REVISION NOTES

Table with 3 columns: Revised Section, Source (U.S. Code), Source (Statutes at Large). Row 1: 20501, (no source).

This section is added to eliminate the unnecessary repetition of the words used in the definition. The definition is derived from 49 App.:26(b)–(f).

Statutory Notes and Related Subsidiaries

SIGNAL PROTECTION

Pub. L. 114–94, div. A, title XI, §11408, Dec. 4, 2015, 129 Stat. 1684, provided that:

“(a) IN GENERAL.—Not later than 18 months after the date of enactment of this Act [Dec. 4, 2015], the Secretary [of Transportation] shall initiate a rulemaking to require that on-track safety regulations, whenever practicable and consistent with other safety requirements and operational considerations, include requiring implementation of redundant signal protection for maintenance-of-way work crews who depend on a train dispatcher to provide signal protection.

“(b) ALTERNATIVE SAFETY MEASURES.—The Secretary shall consider exempting from any final requirements of this section each segment of track for which operations are governed by a positive train control system certified under section 20157 of title 49, United States Code, or any other safety technology or practice that would achieve an equivalent or greater level of safety in providing additional signal protection.”

§ 20502. Requirements for installation and use

(a) INSTALLATION.—(1) When the Secretary of Transportation decides after an investigation that it is necessary in the public interest, the Secretary may order a railroad carrier to install, on any part of its railroad line, a signal system that complies with requirements of the Secretary. The order must allow the carrier a reasonable time to complete the installation. A carrier may discontinue or materially alter a signal system required under this paragraph only with the approval of the Secretary.

(2) A railroad carrier ordered under paragraph (1) of this subsection to install a signal system on one part of its railroad line may not be held negligent for not installing the system on any part of its line that was not included in the order. If an accident or incident occurs on a part of the line on which the signal system was not required to be installed and was not installed, the use of the system on another part of the line may not be considered in a civil action brought because of the accident or incident.

(b) USE.—A railroad carrier may allow a signal system to be used on its railroad line only when the system, including its controlling and operating appurtenances—

(1) may be operated safely without unnecessary risk of personal injury; and

(2) has been inspected and can meet any test prescribed under this chapter.

(Pub. L. 103–272, §1(e), July 5, 1994, 108 Stat. 883.)

HISTORICAL AND REVISION NOTES

Table with 3 columns: Revised Section, Source (U.S. Code), Source (Statutes at Large). Rows 20502(a), 20502(b) with their respective sources.

In this section, the words “signal system” are substituted for “block signal system, interlocking, automatic train stop, train control, and/or cab-signal devices, and/or other similar appliances, methods, and